

SUPPLEMENT TO



The Gazette of India

No. 22]

NEW DELHI, SATURDAY, JUNE 16, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th May, 1956

	CHOLERA		SMALLPOX		PLAUE			CHOLERA		SMALLPOX		PLAUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
STATES PART(A) AND PART(C)													
Ajmer													
TOTAL	—	—	—	—	—	—	—	—	—	—	—	—	—
(Estd. mid-year pop. 752 thousands.)													
Total for w/e 5-5-56	—	—	—	—	—	—	—	Total for w/e 5-5-56	—	—	18	4
Total for w/e 28-4-56	—	—	—	—	—	—	—	Total for w/e 28-4-56	—	—	62	9
7-yearly mean for the week	—	—	—	—	6	3	—	7-yearly mean for the week	—	—	3	2
Andhra													
Srikakulam	—	—	—	—	8	1	—	—	Bhopal				
Vizakhapatnam	—	—	—	—	9	3	—	—	Total	—	—	24	4
Godavari East	—	—	—	—	26	8	—	—	(Estd. mid year pop. 867 thousands.)		
Godavari West	—	—	—	—	26	2	—	—	Total for w/e 5-5-56	—	—	18	4
Krishna	—	—	—	—	—	20	1	—	Total for w/e 28-4-56	—	—	62	9
Guntur	—	—	—	—	33	9	—	—	7-yearly mean for the week	—	—	3	2
Nellore	—	—	—	—	15	4	—	—	—	—
Kurnool	—	—	—	—	24	13	—	—	Bihar				
Cuddapah	—	2	1	..	1	..	—	—	"N.R."				
Anantapur	—	—	—	—	17	4	—	—	Bihar				
Chittoor	—	—	—	—	13	2	—	—	"N.R."				
TOTAL	2	1	191	48	—	—	—	—	Bombay				
(Estd. mid-year pop. 21,238 thousands.)									Greater Bombay	—	—	12	4
Total for w/e 5-5-56	5	2	203	31	—	—	—	—	Ahmedabad	—	—	6	1
Total for w/e 28-4-56	3	3	114	28	—	—	—	—	Kaira	—	—	1	2
7-yearly mean for the week	48	27	230	45	—	—	—	—	Panch Mahals	—	—	7
Assam													
Kamrup	—	—	—	—	1	1	—	—	Surat	—	—	4	3
Sibaagar	—	—	—	—	6	1	—	—	Ahmednagar	—	—	6	2
TOTAL	—	—	—	—	7	2	—	—	East Khandesh	—	—	7	2
(Estd. mid-year pop. 9,817 thousands.)					—	—	—	—	West Khandesh	—	—	15	4
Total for w/e 5-5-56	2	..	4	2	—	—	—	—	Amreli	—	—	3	1
Total for w/e 28-4-56	1	..	2	..	—	—	—	—	Poona	—	—	2
7-yearly mean for the week	27	12	4	1	..	—	—	—	Sholapur	—	—	5
Explanation of symbols used: C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.													
7-yearly mean for the week													
(Estd. mid-year pop. 39,569 thousands)													
Total for w/e 5-5-56													
Total for w/e 28-4-56													
7-yearly mean for the week													

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th May, 1956—contd.

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA							
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.		
	Coorg												Madras													
TOTAL	Madras City		
(Estd. mid-year pop. 262 thousands.)													North Arcot	
Total for w/e 5-5-56	Salem	
Total for w/e 28-4-56	South Arcot	
7-yearly mean for the week	I	Tirunelveli	
	Delhi												TOTAL	
Delhi City	3	(Estd. mid-year pop. 38,273 thousands.)													
New Delhi	4	Total for w/e 5-5-56
Delhi Notified Area	2	10	Total for w/e 28-4-56
New Delhi Cantt.	I	7-yearly mean for the week
TOTAL	10	10	203	58	66	16	
(Estd. Census pop. 1,744 thousands.)													Manipur													
Total for w/e 5-5-56	10	TOTAL
Total for w/e 28-4-56	9	2	(Estd. mid-year pop. 613 thousands.)													
7-yearly mean for the week	9	2	Total for w/e 5-5-56
	Himachal Pradesh												Total for w/e 28-4-56
"N.R."													Orissa													
	Madhya Pradesh												Cuttack	34	18	8
Nagpur	9	3	Balasore	I	I
Chanda	20	Puri	19	12	6
Chhindwara	12	Baudh	I
Betul	20	Koraput	I
Bhandara	9	I	Keonjhar	I	I	I
Jabalpur	5	1	Dhankanal	6	2	27	4
Sagar	9	3	Bolangir Patna	3	..	6
Mandala	16	I	Kalahandi	12	3
Hoshangabad	40	7	Mayurbhanj	13
Balaghat	52	2	TOTAL	64	34	74	7
Raipur	6	(Estd. mid-year pop. 15,114 thousands.)													
Bilaspur	47	17	2	2	Total for w/e 5-5-56	238	119	34
Durg.	35	7	Total for w/e 28-4-56	106	42	56	I
Akola	31	I	7-yearly mean for the week
Buldana	58	16	TOTAL	40	17	135	20

Explanation of symbols used : C.—Cases ; D.—Deaths ; .—N.B. ; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th May, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAGUE						CHOLERA						SMALLPOX						
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.			
	Tripura													West Bengal—contd.																	
	(Estd. mid-year pop. 706 thousands.)													Calcutta	.	.	• 221	53	10	10					
	Total for w/e 5-5-56													Nadia	.	.	• 4	3	1				
	Total for w/e 28-4-56													Murshidabad	.	.	• 1	1	2	3			
	Uttar Pradesh													Malda	.	.	•	15	5			
Allahabad	22	3	..	—				West DinaJPur	.	.	• ..	—	2	—		
Azamgarh	1	—				Jalpaiguri	.	.	•	1	2		
Banaras	6	4	..	—				TOTAL	.	511	194	75	38	—	—	—	—	—	—	—	—	—	—		
Bulandshahr	2	—				(Estd. mid-year pop. 26,396 thousands.)																	
Bahraich	1	—				Total for w/e 5-5-56	466	195	99	24	—		
Kanpur	9	1	..	—				Total for w/e 28-4-56	485	180	56	17		
Dehra Dun.	8	3				7-yearly mean for the week	.	597	264	156	64		
Deoria	2	1				Grand Total for States Parts (A) & (C) (excluding Bihar, Punjab, & Himachal Pradesh)	628	247	997	249	
Ghazipur	—	—	1	1				Corresponding (Estd. mid-year pop. 2,47,313 thousands).																	
Garhwal	2	—				Corresponding Total for 721 w/e 5-5-56.	322	1257	250	
Hardoi	9				Corresponding Total for 602 w/e 28-4-56.	227	1291	163	
Jaunpur	7	2				Corresponding Total for 602 w/e 28-4-56.	227	1291	163	
Kheri	1	1				Corresponding 7-yearly mean for the week	.	1085	455	1,365	324	19	6
Lucknow	1																					
Tehri Garhwal	12	1																					
	TOTAL						84	17																					
	(Estd. mid-year pop. 66,780 thousands.)													STATES]PART (B)																	
	Total for w/e 5-5-56						7	4	80	32		Hyderabad																	
	Total for w/e 28-4-56						4	4	97	40	..	—		Gulberga	.	.	13	11	
	7-yearly mean for the week						85	39	199	69	19	6		Raichur	.	.	46	16	1	3	
	Vindhya Pradesh													Mahbubnagar	.	.	7	5	
	TOTAL						—	..		Hyderabad	2	
	(Estd. mid-year pop. 36,86 thousands.)													Khammam	4	6	
	Total for w/e 5-5-56						3	—			TOTAL	.	66	32	7	9
	Total for w/e 28-4-56						55	6		Jammu and Kashmir																	
	West Bengal													"N. R."																	
	Burdwan	56	33	15	4		Madhya Bharat																	
	Birbhum	8	4	1	1		"N.R."																	
	Bankura	11	8	10	5	—	..		Mysore																	
	Midnapur.	15	8	10	3		TOTAL																	
	Hooghly	20	6	3		Patiala and East Punjab States Union																	
	Howrah	85	38	4	3		TOTAL																	
	24-Parganas	90	40	1	2	—																	

Explanation of symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 12th May, 1956—concl'd

	CHOLERA SMALLPOX PLAGUE					CHOLERA SMALLPOX PLAGUE				
	C.	D.f	C.	D.	C.	D.	C.	D.	C.	D.
Rajasthan						ARREAR INFORMATION				
"N.R."						Rajasthan				
Saurashtra						w/e 28-4-56				
TOTAL						TOTAL				
Travancore Cochin						TOTAL				
TOTAL						TOTAL				
Grand Total for States						Madhya Bharat				
Part (B)						w/e 28-4-56				
Grand Total for States						TOTAL				
Parts (A), (B) and (C)						w/e 28-4-56				
Explanation of symbols used : C.—Cases; D.—Deaths; ..=Nil.										

NEW DELHI-2 (INDIA); }
The 4th June, 1956. }

K. MITRA,
for Registrar General, (India)

Prosper with the NATION INVEST YOUR SAVINGS IN GOVERNMENT OF INDIA'S Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES

Interest at 4½ per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 3,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES

3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.

10-YEAR NATIONAL PLAN CERTIFICATES

Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.

POST OFFICE SAVINGS BANK ACCOUNTS

2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.

15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.

Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these Investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

AC. 686

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956

Deaths from :-

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R. *	I.D.
STATES--(Parts A and C)													
Ajmer													
Ajmer	223	70	16.3	15	2	13	..	37	8.6	9
Beawar	59	17	15.0	5	1	4	..	14	12.3	14
TOTAL	282	87	16.0	20	3	17	..	51	9.4	23
Andhra													
Adoni	63	44	36.3	2	1	1	2	11	9.1	2
Anantapur	38	28	38.3	8.2	..	3
Anakapalli†
Shimavaram	36	15	21.7	—	3	4.3	..
Chirala	43	15	18.1	2	..	2	..	9	10.9	4
Chittoor	45	40	46.2	—	6	..	3	..	19	22.0	6
Cuddapah	42	25	31.0	2	1	1	..	15	18.6	3
Eluru	99	23	12.1	8	1	1	..	28	14.7	7
Gudivada	36	24	34.7	4	..	3	..	9	13.0	3
Guntur†
Guntakal	37	21	29.5	1	1	1	..	8	11.2	1
Kakinada	113	43	19.8	..	1	..	3	1	7	3.2	1
Kurnool	68	75	57.4	1	2	1	..	22	16.8	5
Masulipatnam	88	28	16.6	1	2	11	6.5	4
Nandyal†
Nellore	95	135	73.8	—	3	4	4	2	41	22.4	15
Proddatur†
Rajahmundry	122	55	23.4	10	..	3	..	43	18.3	7
Tenali	67	33	25.6	3	..	1	..	13	10.1	4
Vijayawada	201	111	28.8	..	2	..	6	6	7	..	63	16.3	14
Vizakhapatnam	128	63	25.6	..	3	..	11	3	9	..	51	20.7	6
Vizianagaram†
TOTAL	1,321	778	30.6	..	6	..	63	22	38	4	357	14.1	85
Assam													
“N.R.”													
Bhopal													
Bhopal city.	116	83	37.1	1	3	1.3	..
Bihar													
“N.R.”													
Delhi State													
“N.R.”													
Bombay													
Ahmedabad	889	494	28.8	..	3	—	55	22	101	..	353	20.6	109
Ahmednagar	88	67	39.6	3	..	4	..	20	11.8	5
Amalner	50	26	27.0	12	..	2	..	18	18.7	3
Bagalkot	36	12	17.3	—	..	—	2	2	5	17.2	..
Baroda	242	145	31.1	—	21	5	13	..	83	17.8	25
Barsi	46	29	32.1	4	1	..	1	21	23.7	..
Belgaum	110	81	38.3	3	4	4	1	51	24.1	5
Bhusawal	62	21	17.6	5	..	1	..	9	7.5	1
Bijapur	75	40	27.7	—	..	3	..	2	8.3	..
Broach†
Cambay	41	24	30.4	1	6	7.6	2
Chalisgaon	35	15	22.3	5	1	11	16.3	3

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information ; “N.R.” Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—*contd.*

Deaths from :—

Town	Mid-year popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay—<i>contd.</i>													
Dharwar	76	32	21.9	2	..	1	..	12	8.2	..
Dhulia	89	32	18.7	12	..	1	..	20	11.7	10
Gadag-Betageri	71	48	35.2	8	..	2	..	32	23.4	..
Godhra	40	19	24.7	6	9	11.7	1
Greater Bombay	3,449	1,353	20.4	..	4	..	2	34	92	2	530	18.0	122
Hubli	148	58	20.4	1	3	..	15	5.3	3
Jalgaon	79	24	15.8	4	..	7	2	18	11.8	2
Kalyan	73	15	10.7	2	..	3	..	9	6.4	2
Kolhapur	159	123	40.2	2	5	8	..	50	16.4	14
Malegaon	63	36	29.7	—	11	..	2	..	14	11.6	2
Miraj†													
Nadiad	71	40	29.3	—	15	..	1	..	27	20.0	9
Nandurbar	35	18	26.8	1	..	2	..	10	14.9	7
Nasik	119	56	24.4	10	..	7	..	28	12.2	5
Navasari	50	31	32.2	7	7.3	3
Pandharpur	44	29	34.3	4	3	6	..	18	21.4	4
Patna	47	28	31.0	3	..	3	..	18	19.9	5
Poona	607	239	20.5	12	5	21	1	105	9.0	25
Sangli	58	20	18.0	5	2	12	10.8	1
Satara	40	29	37.7	2	1	3	..	11	14.3	..
Sholapur	299	205	35.6	..	1	..	26	1	31	..	112	19.5	31
Surat	250	165	34.3	..	2	..	17	3	21	..	122	25.4	48
Thana	61	16	13.6	4	3.4	1
TOTAL	7,602	3,570	24.4	..	10	..	255	87	342	10	1,772	12.1	448

Madhya Pradesh

"N.R."*

Madras

Ambur	44	27	31.9	1	6	7.0	1
Aruppukottai	56	27	25.0	4	2	1	..	12	11.1	..
Bodinayakanur	40	25	32.5	2	6	7.8	3
Cannanore	47	21	23.2	4	..	2	..	10	11.1	3
Chidambaram	39	28	37.3	11	14.6	4
Coimbatore	234	258	57.3	6	14	..	77	17.1	12
Cuddalore	74	80	57.7	..	1	3	1	..	22	15.8	7
Dindigul	90	27	15.6	2	1	8	4.6	..
Erode	67	56	43.5	1	..	2	3	18	13.9	3
Gobichettipalayam	38	23	31.4	1	..	3	4.1	1
Gudiyattam†													
Kancheepuram	90	63	36.4	1	12	1	31	17.9	6
Karaikudi	44	25	29.5	1	8	9.5	4
Karur	50	22	22.8	1	10	10.4	3
Kozhikode.	176	188	55.5	1	5	..	43	12.7	15
Kumbakonam	105	32	15.8	2	1	1	23	11.4	6
Madras	1,703	1,050	32.1	..	2	..	47	71	140	3	523	15.9	145
Mangalore	136	92	35.2	3	1	1	..	37	14.2	12
Mathurai	427	512	62.4	6	6	29	8	128	15.6	28
Mayuram	49	38	40.3	1	1	2	..	6	6.4	1
Malapalayam	40	8	10.4	1	1	2	..	6	7.8	1
Nagapattinam	60	58	50.3	2	3	3	2	18	15.6	5
Ottacamund†	48	48	51.9	4	5	..	11	11.9	3
Palni†													
Palayamkottai	45	40	46.2	3	..	2	..	19	21.9	5
Palghat	77	50	33.7	3	2	6	..	25	16.8	3
Periyakulam	34	29	4.44	2	..	2	..	7	10.7	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D., D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantil deaths (included in total deaths); ..—Nil information; "NR"—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madras—<i>contd.</i>														
Pollachi	51	35	38·7	1	2	6	..	20	20·4	7	
Pudukkottai	50	49	50·9	2	..	14	14·6	4	
Rajapalayam	69	32	24·1	2	4	18	13·6	3	
Salem	241	150	32·4	4	3	12	..	60	12·9	4	
Srirangam	42	21	26·0	1	1	2	..	10	12·4	2	
Srivilliputtur	44	30	35·5	2	3	1	..	11	13·0	1	
Tanjore	118	23	10·2	6	..	4	..	23	10·2	6	
Tellicherry	42	30	37·2	1	..	1	12	14·8	1	
Tiruchirappalli	251	92	19·1	3	4	..	38	7·8	7	
Tirunelveli	80	87	37·1	4	1	28	18·2	9	
Tiruppur	63	60	49·5	3	2	..	19	18·7	6	
Tiruvannamalai	45	15	17·3	1	..	11	12·7	4	
Tuticorin	111	82	38·4	1	1	12	1	31	14·5	8	
Vaniyambadi	43	46	55·6	1	1	2	13	15·7	5	
Vellore†														
Villupuram	39	34	45·3	1	6	7·9	2	
Virudunagar	53	35	34·3	1	2	8	7·8	1	
TOTAL	5,155	3,618	36·4	..	3	..	103	134	278	22	1,390	14·0	343	
Orissa														
Berhampur	72	70	50·7	3	1	3	..	17	12·3	6	
Cuttack	117	64	28·5	7	1	7	..	46	20·5	7	
Puri	53	31	30·5	3	6	1	..	17	16·7	3	
TOTAL	242	165	35·5	13	6	11	..	80	17·2	16	
Punjab (I)														
Ambala	65	38	3·6	6	2	3	..	15	12·1	5	
Amritsar	343	250	88·1	4	23	..	64	9·8	20	
Batala	62	24	20·2	15	..	4	..	22	18·5	4	
Bhiwani	57	34	31·2	12	1	6	..	23	21·1	11	
Ferozepore	45	17	9·17	1	1	1	..	5	5·8	2	
Hissar	39	36	48·3	7	..	4	..	13	17·4	4	
Hoabipur	51	23	23·6	5	..	17	17·4	7	
Jullundur	200	93	24·3	6	3	9	..	28	7·3	10	
Karnal	72	35	25·4	4	..	1	..	7	5·1	3	
Ludhiana	176	83	24·7	20	30	8·9	11	
Moga†														
Panipat														
Pathankot	34	26	40·0	4	..	2	..	7	10·8	1	
Rewari	36	8	11·6	1	..	3	..	4	5·8	1	
Rohtak	105	46	22·9	2	4	3	..	21	10·5	9	
Simla	50	25	26·2	3	3·1	1	
Sonipat	34	18	27·7	8	9	13·8	3	
TOTAL	1,369	7,56	28·7	—	86	15	64	..	268	10·2	92	
Uttar Pradesh														
Agra	375	150	20·9	8	37	..	77	10·7	27	
Allahabad	349	140	21·0	..	3	1	23	2	74	11·1	15	
Amroha	61	43	36·8	2	1	II	9·4	3	
Bahraich	47	21	23·4	15	1	18	20·0	4	
Banaras	383	242	33·0	..	8	..	82	6	25	..	242	33·0	66	
Ballia	35	7	10·4	3	..	1	..	5	7·5	..	
Banda	32	7	11·4	15	2	8	..	36	9·3	14
Bareilly	203	60	15·4	15	2	8		
Bijnor†														

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—contd.

Deaths from :—

Town	Mtd.-year Popn.—Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—contd.													
Budruk	54	26	25·2	—	7	2	5	..	16	15·5	4
Basti†	42	5	6·2	3	3	3·7	..
Bulandshahr	41	19	24·1	7	1	5	..	21	26·6	10
Dehra Dun	146	34	12·2	1	..	2	..	5	1·8	..
Btawah	64	21	17·1	14	3	4	..	37	30·2	9
Faizabad-Ayodhya†	82	26	16·6	7	1	1	..	12	7·6	5
Farrukhabad-Patchgarh	79	14	9·3	1	..	1	..	6	4·0	1
Firozabad	46	13	14·8	4	..	1	..	6	6·8	3
Ghaziabad	36	15	21·8	2	2	2	..	14	20·3	1
Gazipur	140	44	16·4	6	4	5	..	23	8·6	5
Gonda	35	9	13·4	1	2	3·0	1
Hapur	49	27	28·8	3	..	1	..	7	7·5	3
Hardwar	64	27	22·0	16	..	2	..	23	18·8	2
Hathras	62	28	23·6	22	1	6	1	41	34·6	17
Jaunpur	56	15	14·0	..	2	..	3	..	3	..	11	10·3	1
Jhansi	116	79	35·6	25	..	1	..	32	14·4	13
Kanpur	734	314	22·4	—	113	15	35	4	287	20·4	93
Kaaganj	34	9	13·8	5	5	7·7	2
Khurja	41	13	16·6	4	1	4	..	15	19·1	6
Koil-Aligarh	150	33	11·5	14	1	3	..	22	7·7	6
Lucknow	494	255	27·0	..	1	..	24	21	21	..	150	15·9	43
Mathura	110	66	31·4	16	1	10	..	35	16·6	6
Man Nath Bhajan†	185	103	29·1	6	3	8	..	23	6·5	4
Meerut	97	37	19·9	12	..	2	..	23	12·4	9
Mirzapur Vindhyachal	164	90	28·7	10	3	14	..	40	12·7	17
Muzaffarnagar	74	42	29·7	4	..	2	..	16	11·3	2
Pilibhit	45	22	25·6	12	4	1	1	23	26·7	12
Rampur†	162	85	27·4	29	1	1	..	46	14·8	10
Saharanpur	65	29	23·3	13	..	6	..	25	20·1	5
Sambhal	99	56	23·0	11	..	1	..	19	7·8	7
Shahjahanpur	49	13	13·8	2	3	3·2	3
TOTAL	5,100	2,239	22·8	..	14	..	514	75	242	8	1,454	14·1	432

West Bengal

“N.R.”

STATES—Part B**Jammu & Kashmir**

“N.R.”

Madhya Bharat

“N.R.”

Mysore

Bhadrapur	55	8	7·6	10	11	11	..	278	14·8	..
Bangalore	977	748	39·8	10	71	93	..	49	22·5	..
Mysore	294	113	20·0	11	5	6	..	49	22·5	..
Kolar Gold Fields	173	103	31·0	2	5	6	..	31	15·7	..
Beilary	78	22	15·3	—	..	2	..	10	6·7	..
Devangere	69	57	43·0	2	1	17	12·8	..
Hospet	45	11	12·7	1	6	7·0	..
Simoga	57	21	19·2	6	8	7·3	..
Chitaldrug	31	4	6·7	1	2	3·4	..
TOTAL	1,779	1,087	31·8	32	82	107	1	401	11·7	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. Nil Information ; “N.R.” — Information not received,

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Estd. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	D.R.	M.D.	Total	D.R.*	I.D.
------	----------------------------------	----	-------	----	----	----	----	------	------	------	-------	-------	------

PEPSU

Patiala City	111	59	27.6	15	1	2	..	32	15.0	13
Malerkotla	34	21	32.1	13	..	1	..	17	26.0	5
Bhatinda	39	11	14.7	2	3	4.0	..
TOTAL	184	91	25.7	30	1	3	..	52	14.7	18

Rajasthan

“N.R.”

Travancore-Cochin

Alleppey	148	35	12.3	2	..	5	..	16	5.6	2
Changancherry†													
Ernakulam	70	56	41.6	1	9	6.7	1
Kottayam	50	8	8.3	6	6.2	1
Mattanchery	85	42	25.7	1	1	1	..	9	5.5	1
Nagercoil	94	35	19.4	1	1	1	..	13	7.2	..
Quilon	75	65	45.1	3	1	18	12.5	1
Trichur	76	57	39.0	7	4.0	..
Trivandrum City	218	152	36.3	2	2	2	..	35	8.3	4
TOTAL	816	450	28.7	7	4	10	1	113	7.2	10

Saurashtra

“N. R.”

Hyderabad

Aurangabad	73	3	2.1	3	5	3.6	..
Bidar													
Gulberga	90	9	5.2	5	..	3	1	11	6.3	..
Hyderabad City	1,057	178	8.8	..	2	..	24	183	9.0	12
Jalna†													
Kothagudiam†													
Latur†													
Nanded	80	10	6.5	4	1	..	1	6	3.9	..
Nizambad	67	13	2.1	1	3	2.3	1
Parbhani†													
Raichur†													
Secunderabad City	162	111	35.6	3	1	9	..	37	11.9	6
Warangal	155	15	3.0	3	..	3	..	18	6.0	..
TOTAL	1,684	339	10.5	..	2	..	43	2	15	2	263	8.1	19

Rajasthan

Jaipur	353	40	5.7	25	2	17	..	69	10.2	31
Alwar	60	32	27.7	2	..	3	..	9	7.8	2
Bharatpur†													
Tonk	45	2	2.3	5	..	4	..	10	11.6	..
Sikar†													
Jodhpur†													
Bikaner†													
Churu	48	1	1.1	3	1	2	..	13	14.5	..
Ganganagar	47	4	1
Kotah	72	10	7.2	8	..	4	..	10	7.2	5
Udaipur	106	20	9.8	1	4	..	8	3.9	2
TOTAL	731	105	7.5	..	4	..	43	4	30	1	119	8.5	40

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths); ..=Nil Information; “N.R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—contd.

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURNS													
Madhya Pradesh													
Jabalpur	237	156	34.2	..	2	..	12	4	14	..	49	10.7	..
Sagar	75	34	23.5	..	7	..	9	22	15.2	..
Bilaspur	40	39	50.7	4	1	1	..	16	20.8	7
Gondia	45	29	33.5	7	1	16	18.4	2
Amravati	101	105	54.0	11	2	6	..	57	29.3	12
Achalpur	38	27	36.9	..	5	..	9	1	2	..	22	30.1	10
Yeotmal	41	29	36.7	6	..	2	..	22	27.9	9
Akola	104	77	38.5	12	1	4	..	33	16.5	6
Ralgarh	35	9	13.3	2	..	1	..	5	7.4	1
TOTAL	716	505	36.7	..	14	—	72	9	30	1	242	17.6	47
Madhya Pradesh													
Khamgaon	42	21	26.0	..	2	..	3	1	11	13.6	..
Khamgaon	42	44	54.5	6	1	16	19.8	..
Khamgaon	42	36	44.5	5	14	17.3	..
Khamgaon	42	38	47.0	..	5	..	1	—	..	—	11	13.6	..
Khamgaon	42	41	50.7	—	7	—	6	—	20	24.7	..
Jabalpur	237	127	27.8	..	4	..	13	1	6	..	33	7.2	..
Nagpur	528	148	14.5	..	15	..	49	4	6	..	112	11.0	..
Kamptee	36	15	21.6	6	14	20.2	..
Sagar	75	15	10.4	..	1	..	3	..	1	..	12	8.3	..
Bilashpur	40	29	37.7	6	17	22.1	11
Gondia	45	22	23.4	8	..	2	..	14	16.1	2
Amravati	101	74	38.0	..	5	..	8	1	5	..	33	16.9	6
Achalpuri	38	26	35.5	..	1	..	8	13	17.7	8
Yeotmal	41	16	20.3	1	..	1	..	13	16.5	4
Akola	104	72	36.0	..	1	..	9	..	2	..	27	13.5	9
TOTAL	1,008	417	21.5	..	23	..	98	5	17	3	255	13.2	40
Jammu & Kashmir													
Jammu City	69	66	49.7	2	11	8.3	1
Jammu City	69	78	58.8	1	3	7	5.3	2
Jammu City	69	60	45.2	1	6	..	9	6.8	1
Jammu City	69	67	50.5	5	1	1	..	15	11.3	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 12th May, 1956—contd.

Deaths from —

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague : F.—Fevers; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; —Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 12th May 1956 relate to 186 towns with an estimated population of 26,416 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 59% of the total number of towns representing 64% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 13,368 and 6,325 representing birth and death rates of 26·3 and 12·5 per thousand of population respectively.

(a) States (Part A and C).—The data here relate to 151 towns with an estimated population of 21,187 thousands. Information about Assam, Bihar, Delhi, Madhya Pradesh and West Bengal could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 60% of the total number of towns representing 63% of the

total population is covered. The number of births and deaths recorded in these towns were 11,296 and 5,377 representing birth rates and death rates of 27·7 and 13·2 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of the population.

(b) States (Part B).—The data here relate to 35 towns with an estimated population of 5,229 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 54% of the total number of towns representing 65% of the total population is covered. The number of births and deaths recorded in these towns were 2,072 and 948 representing birth and death rates of 20·6 and 9·4 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 12-5-1956		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	16·0	9·4	†	†	22·6	22·2
Andhra	30·6	14·1	25·3	17·6	†	†
Bombay	24·4	12·1	26·1	12·7	27·4	16·2
Madras	36·4	14·0	40·9	18·2	†	†
Oriissa	35·5	17·2	40·6	16·9	38·5	15·3
Punjab (I)	28·7	10·2	30·3	8·4	27·1	9·6
Uttar Pradesh	22·8	14·8	25·7	15·2	25·2	16·3
India*	27·7	13·2	29·4	14·5	25·6	15·4

*6 Part 'A' States and 1 Part 'C' State.

†Figures not available.

NEW DELHI-2 (INDIA);

The 4th June, 1956.

K. MITRA,
for Registrar General, India.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.									
STATES PART (A) AND PART (C)																																					
Ajmer																																					
TOTAL	—	..	1	1	—	..	—	—	—	—	—	—	(Estd. mid-year pop. 867 thousands.)	TOTAL	—	..	—	—	30	4							
(Estd. mid-year pop. 752 thousands.)	—	..	—	—	—	—	—	—	—	—	—	—	Total for w/e 12-5-56	24	4							
Total for w/e 12-5-56	Total for w/e 5-5-56	18	4							
Total for w/e 5-5-56	7-yearly mean for the week	2	1							
7-yearly mean for the week	3	2	Bihar							
Andhra																																					
Srikakulam	1	1	(Estd. mid-year pop. 42,198 thousands.)	Total for w/e 12-5-56						
Visakhapatnam	18	5	Total for w/e 5-5-56							
Godavari East	8	3	Total for w/e 5-5-56							
Godavari West	4	3	7-yearly mean for the week							
Krishna	18	6	Bombay							
Guntur	5	1	Greater Bombay	1	1							
Nellore	8	2	Ahmedabad	5	4							
Kurnool	32	9	20	4	Broach	8							
Cuddapah	5	4	Surat	8	5							
Anantapur	6	3	Ahmednagar	2	2							
Chittoor	6	East Khandesh	15	2							
TOTAL	..	37	13	94	28	West Khandesh	5	1							
(Estd. mid-year pop. 21,238 thousands.)	Nasik	3	1							
Total for w/e 12-5-56	2	1	19	1	48	Satara North	2							
Total for w/e 5-5-56	5	2	203	31	Sholapur	3							
7-yearly mean for the week	46	25	170	37	Belgaum	4	2							
Assam																																					
Kamrup	4	Dharwar	4	2							
Nowrang	1	Mehsana	9	4							
TOTAL	4	1	Banaskantha	28	3							
(Estd. mid-year pop. 9,817 thousands.)	TOTAL	..	8	4	89	23							
Total for w/e 12-5-56	7	2	(Estd. mid-year pop. 39,569 thousands.)	Total for w/e 12-5-56	4	1	143	33						
Total for w/e 5-5-56	2	..	4	2	Total for w/e 5-5-56	262	46						
7-yearly mean for the week	42	21	4	7-yearly mean for the week	48	2	282	45						

Explanation of Symbols used : C = Cases; D = Deaths; "N.R." = Information not received; .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAQUE							CHOLERA						SMALLPOX						PLAQUE						
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.								
Coorg												Madhya Pradesh—<i>contd.</i>																										
TOTAL												Raipur	62	9							
Estd. mid-year pop. 262 thousands.)	Bilaspur	.	.	15	13	5	3						
Total for w/e 12-5-56	Durg	44	2					
Total for w/e 5-5-56	Yeotmal	2						
7-yearly mean for the week	I	Akola	165	32						
Delhi												Buldana	40	3						
Delhi City	4	TOTAL	.	17	13	426	59					
New Delhi	9	(Estd. mid-year pop. 22,109 thousands)																										
Delhi Notified Area	I	Total for w/e 12-5-56	47	17	324	44				
New Delhi Cantt.	5	I	Total for w/e 5-5-56	3	2	479	65				
TOTAL	18	2	7-yearly mean for the week	36	18	229	27				
(Census pop. 1,744 thousands.)													Madras																									
Total for w/e 12-5-56	10	10	Madras City	2			
Total for w/e 5-5-56	10	North Arcot			
7-yearly mean for the week	6	2	Salem			
Himachal Pradesh												South Arcot					
TOTAL	Tanjore				
(Estd. mid-year pop. 1,003 thousands.)													Ramnathapuram	3			
Total for w/e 12-5-56	Tirunelveli	4		
Total for w/e 5-5-56	Malabar		
TOTAL	TOTAL		
Madhya Pradesh												(Estd. mid-year pop. 38,273 thousands.)																										
Nagpur	14	Total for w/e 12-5-56	23	10			
Wardha	24	Total for w/e 5-5-56	33	14			
Chhindwara	3	I	7-yearly mean for the week	.	.	128	55	60	14	
Betul	6	TOTAL	
Bhandara	14	TOTAL
Sagar	10	2	(Estd. mid-year pop. 613 thousands.)																										
Mandla	5	5	Total for w/e 12-5-56		
Hoshangabad	2	..	2	I	Total for w/e 5-5-56	
Balaghat	30	2	Total for w/e 5-5-56	

Explanation of Symbols used: C=Cases;

D=deaths; "N.R." Information not received; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956—*contd.*

	CHOLERA						SMALLPOX						PLAQUE						
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	
	Orissa—												Uttar Pradesh— <i>contd.</i>						
Cuttack . . .	23	15	Kanpur	7	4	
Balasore . . .	5	2	Deoria	3	1	
Puri . . .	75	32	Fazabad	4	1	
Sambalpur	10	2	Ghazipur	2	1	
Keonjhar	1	..	Gorakhpur	
Dhenkanal	1	1	14	1	..	Gonda	1	
Kalahandi	8	3	Hamirpur	10	3	
TOTAL . . .	104	50	33	6	Hardoi	6	
(Estd. mid-year pop. 15,114 thousands.)							Jhansi	5	1	
Total for w/e 12-5-56	64	34	74	7	Jaunpur	5	3	
Total for w/e 5-5-56	238	119	34	Kherl	2	
7-yearly mean for the week . . .	42	29	121	14	Lucknow	2	1	
	Punjab (I)												Pilibhit	1
	"N.R."												Rae Bareli	16	5	..
	Pondicherry												Sitapur	1	6	..
TOTAL	20	18	TOTAL	16	8	113	55
	Tripura												(Estd. mid-year pop. 66,780 thousands.)						
TOTAL . . .	2	2	Total for w/e 12-5-56	84	17	
(Estd. mid-year pop. 706 thousands.)							Total for w/e 5-5-56	7	4	80	32	
Total for w/e 12-5-56	7-yearly mean for the week	177	78	153	50	5	1	
Total for w/e 5-5-56													
	Vindhya Pradesh																		
	Uttar Pradesh												"N.R."						
Agra	1												
Allahabad	15	2	..	Burdwan	26	12
Azamgarh	11	4	..	Birbhum
Almora	7	4	..	Bankura
Banda	3	2	..	Midnapur	24	8	1
Banaras	6	5	..	Hooghly	70	28	5	3
Bulandshahr	2	1	..	Howrah	100	30	2	2
Brahmaich	6	4	..	24-Parganas	106	42

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil "N.R." Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956—contd.

	CHOLERA						SMALLPOX						PLAUE						CHOLERA						SMALLPOX							
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.						
West Bengal—Contd.																																
Calcutta	.	.	255	93	10	9																				"N.R."				
Nadia	.	.	2	..	1	1																								
Murshidabad	.	.	2	1																								
Malda	11	2																								
West Dinajpur.	.	.	1	..	7	3																								
Darjeeling	1																								
TOTAL	.	.	586	214	40	22																								
(Estd. mid-year pop. 26,396 thousands).																																
Madhya Bharat																																
Bellary																								
Chikmaglur	.	.	2	1																								
Citadldrug																								
Kolar																								
TOTAL	.	.	2	1	12	1																								
Patiela & East Punjab States Union																																
TOTAL	6																								
Rajasthan																																
Total for w/e 12-5-56	.	.	511	194	75	38																								
Total for w/e 5-5-56	.	.	466	195	59	24																								
7-yearly mean for the week	.	.	473	221	116	51																								
Grand Total for States Parts (A) & (C) (excluding Bihar, Panjab & Vindhya Pradesh)	.	.	770	304	902	229																								
(Estd. mid-year pop. 245,243 thousands.)																																
Saurashtra																																
Central Saurashtra	1	2																								
Halar	3																								
TOTAL	4	2																								
Travancore-Cochin																																
Total for w/e 12-5-56	628	247	997	249																										
Total for w/e 5-5-56	721	322	1,257	250																										
7-yearly mean for the week	.	.	992	468	1,147	243	5	1																								
Grand Total for States Part (B)	.	.	32	17	45	14																								
Grand Total for States Parts (A), (B) and (C)	802	321	947	243																										
STATES PART (B)																																
ARREAR INFORMATION																																
Himachal Pradesh																																
w/e 5-5-56																								
Gulberga	.	.	3																								
Ralchur	.	.	18	14	3	3																								
Mahbubnagar	.	.	9	2																								
Hyderabad	7																								
Khamam	1	..																								
TOTAL	.	.	30	16	10	4																								
Madhya Bharat																																
w/e 5-5-56																								
Jammu & Kashmir	.	.	"N. R."																													
TOTAL																								

Explanation of Symbols used: C—Cases ; D—Deaths ; — Nil ; "N. R." — Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th May, 1956—concl.

	CHOLERA SMALLPOX PLAGUE						—	CHOLERA SMALLPOX PLAGUE						
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Punjab						POLIOMYELITIS								
<i>w/e 12-5-56</i>						(Information based on Patients treated in hospitals in important towns)								
Ambala	1		Place	Period	Cases				
Hoshiarpur	1		Punjab	15—31 May, 1956	13 (Paretic)				
Ferozepur	7		Madras	1—15 Feb. ,,	15				
TOTAL	8	1		Madras	16—29 Feb. ,,	21				
Rajasthan						POLIOMYELITIS								
<i>w/e 5-5-56</i>						(Information based on Patients treated in hospitals in important towns)								
TOTAL	60	14		Place	Period	Cases				
								Punjab	1—15 Mar. ,,	24				
								Madras	16—31 Mar. ,,	5 (Paretic)				
								West Bengal	1—15 Mar. ,,	6 (,				

Explanation of Symbols used : C.=Cases; D.=Deaths ; .=Nil ; "N.R."=Information not received.

NEW DELHI-2 (INDIA) ;

The 11th June, 1956.

K. MITRA,

for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—contd.

Deaths from:—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
STATES—(Parts A and C)													
Ajmer													
Ajmer	223	86	20·0	—	—	—	—	17	1	10	45	10·5	5
Beawar	59	32	28·2	..	1	24	1	4	41	36·1	15
TOTAL	282	118	21·8	..	1	41	2	14	86	15·9	20
Andhra													
“N. R.”													
Assam													
“N. R.”													
Bhopal													
Bhopal City	116	74	33·2	2	0·9	..
Bihar													
“N. R.”													
Bombay													
Ahmedabad	889	506	29·6	..	1	..	53	14	113	1	413	24·2	110
Ahmednagar	88	62	36·6	2	1	6	..	29	17·1	5
Amalner	50	31	32·2	8	..	3	..	16	16·6	4
Bagalkot	36	31	44·8	2	1	10	14·4	2
Baroda	242	161	34·6	20	1	12	..	72	15·5	17
Barsi	46	17	19·2	6	2	1	..	20	22·6	8
Belgaum	110	77	36·4	5	1	3	1	16	7·6	2
Bhusawal	62	28	23·5	..	1	..	11	..	1	..	20	16·8	4
Bijapur †													
Broach†													
Cambay	41	19	24·1	3	..	1	..	9	11·4	1
Chalisgaon	35	14	20·8	5	7	10·4	2
Dharwar	76	40	27·4	51	7	4·8	..
Dhulia	89	57	33·3	10	..	2	..	15	8·8	8
Gadag Betageri	71	53	38·8	10	1	3	..	30	22·0	..
Godra	40	43	55·9	6	..	1	..	14	18·2	3
Greater Bombay	3,449	1,347	20·3	..	1	..	6	19	99	..	628	9·5	149
Hubli	148	53	18·4	1	..	5	1	14	4·9	2
Jalgaon	79	17	11·2	7	1	2	1	14	9·2	6
Kalyan	73	18	12·8	1	..	2	..	8	5·7	3
Kolhapur	159	104	34·0	1	1	10	..	39	12·7	4
Malegaon	63	45	37·1	7	1	10	8·3	2
Miraj	44	23	27·2	1	2	..	17	20·1	3
Nadiad	71	57	41·7	19	..	1	..	24	17·6	..
Nandurbar	35	20	29·7	1	..	1	..	10	14·9	5
Nasik	119	67	29·3	9	4	5	..	32	14·0	8
Navasari	50	25	26·0	5	10	10·4	4
Pandharpur	44	31	36·6	6	1	3	1	19	22·4	9
Patan	47	37	40·9	2	..	6	..	12	13·3	2
Poona	607	207	17·7	11	4	22	..	115	9·9	27
Sangli	58	19	17·0	3	1	4	..	14	12·5	6
Satara	40	22	28·6	1	..	1	..	10	13·0	2
Sholapur	299	169	29·4	14	2	23	..	98	17·2	22
Surat	250	155	32·2	..	2	..	18	2	9	..	117	24·3	33
Thanat†	61	26	22·2	10	8·5	2
TOTAL	7,571	3,581	24·6	..	5	..	254	57	341	6	1,879	12·9	455

† In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information. “N. R.”—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—contd.

Deaths from :—

Town	Mid-year Pop. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Delhi State													
Delhi City	1,124	567	26.2	121	6	28	2	228	10.5	72
New Delhi	374	120	16.6	1	3	4	1	40	5.6	6
N.A.C. Civil Station, Delhi	117	70	31.1	..	1	..	1	3	4	..	18	8.0	6
Delhi Cantt.	50	19	19.7	..	1
Delhi Shahdara	53	47	46.1	2	2	2	..	10	9.8	4
TOTAL	1,718	823	24.9	..	2	..	125	14	38	3	296	9.0	88
Madhya Pradesh													
Achalpur†	104	50	25.0	..	1	..	11	..	1	..	24	12.0	7
Akola	101	58	29.8	10	1	9	..	42	21.6	15
Amravati
Bilaspur	40	20	26.0	..	1	..	4	..	1	..	19	24.7	9
Burhanpur	79	77	50.6	12	..	1	..	28	18.4	..
Chanda†
Chindwara†
Damoh†
Gondia
Hinganghat†
Jabalpur
Khandwa
Khamgaon†
Kamptee
Murwarat†
Itarsi†
Nagpur	528	137	13.5	..	38	..	81	4	14	..	195	19.2	13
Sagar	75	17	11.2	..	5	..	7	1	2	..	18	11.8	..
Raipur†
Raigarh†
Wardha†
Yeotmal	41	21	26.6	4	1	1
TOTAL	1,063	411	20.2	..	45	..	139	8	31
Madras													
Ambur	44	21	24.8	2	1	..	4	4.7	1
Aruppukottai	56	37	34.4	7	3	1	..	18	16.7	4
Bodinayakanur	40	1	5	6.5	..
Cannanore	47	30	33.2	..	2	..	3	1	2	..	16	17.7	3
Chidambaram	39	32	42.7	1	..	1	..	17	22.6	1
Coimbatore	234	235	52.2	8	13	..	63	13.9	30
Cuddalore	74	51	36.8	2	1	1	..	21	15.1	..
Dindigul	90	50	28.9	3	1	19	11.0	2
Erode	67	48	37.2	1	1	2	..	12	9.3	1
Gobichettipalayam	38	13	17.8	1	4	5.5	3
Gudiyattam	53	31	29.4	2	..	1	..	9	8.8	..
Kancheepuram	90	79	45.6	3	15	1	29	16.8	10
Karaikudi	44	29	34.3	1	1	1	..	11	13.0	5
Karur	50	32	33.3	1	2	4	..	13	13.5	2
Kozhikode	176	118	39.6	2	3	3	6	67	19.8	..
Kumbakonam	105	80	39.6	1	..	3	..	20	8.9	5
Madras	1,703	1,069	32.6	71	77	181	7	635	19.4	197
Mangalore	136	97	37.0	4	1	3	..	35	13.4	3
Mathuraj†	49	15	15.9	1	8	8.5
Mayuram	41	5	6.3	2	5	6.3
Malappayam	1	1	1
TOTAL

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F	D.D.	R.D.†	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Nagapattinam	60	54	46.8	2	..	1	..	14	12.1	4
Ootacamund†	40	28	36.4	1	4	..	10	13.0	1
Palani	45	55	63.5	4	1	2	..	20	23.1	3
Palayamkottai	34	32	48.9	1	2	1	9	13.8	1
Palghat†	51	41	41.8	2	..	8	8.2	4	
Periyakulam	50	35	36.4	2	1	..	9	14.6	..
Pollachi	69	33	24.9	2	2	1	13	9.8	..
Pudukkottai	241	153	33.0	4	7	14	1	60	12.9	11
Rajapalayam	42	25	31.0	1	3	16	19.8	6
Salem	44	38	44.9	5	1	1	..	17	20.1	6
Srirangam	118	121	53.3	3	..	3	2	30	14.2	..
Stirvillipettur	42	33	40.8	1	1	1	12	14.8	1
Tanjore	251	115	23.8	2	5	8	..	63	13.1	10
Tellcherry	44	38	44.9
Tiruchirappalli	63	52	42.9	3	6	1	19	15.7	6
Tiruppur	45	65	75.4	6	1	18	20.8	7
Tiruvannamalai	111	93	43.6	3	3	11	2	35	16.4	11
Tuticorin	43	25	30.3	1	3	..	6	7.3	2
Vaniyambadi	124	144	60.4	4	3	9	2	43	18.0	16
Yellore	39	32	42.6	2	2	2	..	18	23.9	4
Villupuram	53	38	37.3	2	1	15	14.7	1
TOTAL	4,741	3,284	36.0	..	2	..	133	141	314	29	1,446	15.9	363
Orissa													
Berhampur†	117	131	58.4	7	2	6	..	39	17.4	4
Cuttack	53	32	31.5	6	3	1	..	24	23.6	5
TOTAL	170	163	49.9	13	5	7	..	63	19.3	9
Punjab (I)													
Ambala	65	38	30.6	13	4	21	16.9	8
Amritsar	343	161	24.5	1	4	17	..	70	10.7	15
Batala	62	42	35.4	9	II	9.3	4
Bhiwani	57	56	51.4	9	1	1	..	20	18.3	10
Ferozepore	45	18	20.9	3	3	2	..	12	13.9	3
Hissar	39	38	50.9	16	..	2	..	19	25.5	5
Hoshiarpur	51	27	27.7	2	1	5	..	23	23.6	5
Jullundur	200	111	29.0	10	4	9	..	37	9.7	10
Karnal	72	40	29.0	8	..	1	..	14	10.2	3
Ludhiana	176	139	41.3	25	..	1	..	48	14.3	11
Moga	41	27	34.4	5	1	2	..	11	14.0	2
Panipat	64	44	35.9	12	..	1	..	16	13.1	4
Pathankot	34	26	40.0	2	4	6.2	..
Rewari	36	21	30.5	2	1	4	..	8	11.6	2
Rohtak	105	60	29.9	7	2	2	..	22	11.0	8
Simla	50	20	20.9	1	4	4.2	..
Sonepat	34	19	29.2	5	10	15.4	1
TOTAL	1,474	887	31.3	130	21	47	..	350	12.3	91
Uttar Pradesh													
Agra	375	180	25.1	5	46	..	86	12.0	34
Allahabad	349	135	20.2	..	2	..	1	3	38	1	72	10.8	13
Amroha	61	66	56.6	4	1	5	..	22	18.8	12

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Deaths from—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.
Uttar Pradesh—<i>contd.</i>													
Bahraich	47	18	20·0	18	2	1	..	25	27·8	4
Banaras	383	237	32·3	..	3	..	69	6	24	..	213	29·1	58
Ballia	35	4	6·0	1	2	3·0	..
Banda	32	16	26·1	4	1	2	..	8	13·1	4
Bareilly	203	84	21·6	12	2	12	..	42	10·8	10
Budaun	54	30	29·0	24	1	2	..	30	29·0	5
Basti†													
Bulandshahr†													
Chandausi	41	30	38·0	4	3	1	..	14	27·8	9
Dehra Dun	146	62	22·2	5	1	3	..	19	6·8	5
Etawah	64	37	30·2	10	6	28	22·9	8
Faizabad-Ayodhya	88	25	14·8	..	1	..	4	..	2	3	13	7·1	2
Farrukhabad-Patna	82	32	20·4	12	1	8	..	26	16·6	4
Ferozabad	79	39	25·8	11	..	1	..	25	16·5	9
Gazabād	46	25	28·4	17	..	8	..	21	23·9	5
Gazipur	36	14	20·3	7	15	21·8	..
Gorakhpur	140	69	25·8	11	4	6	..	39	14·6	13
Gonda	35	9	13·4	1	..	1	..	3	4·5	..
Hapur	49	25	26·7	12	3	2	..	19	20·3	6
Hardwar	64	29	23·7	12	2	3	..	27	22·0	4
Hathras	62	44	37·1	27	6	8	..	66	51·6	25
Jaunpur	56	25	23·3	..	2	..	5	..	2	..	15	14·0	2
Jhansi	116	68	30·6	..	1	..	40	47	21·2	19
Kanpur	734	395	28·1	..	1	..	112	13	34	7	291	20·7	71
Kaaganj	34	7	10·8	8	8	12·3	3
Khurja	41	18	22·9	6	..	2	..	16	20·4	6
Koll-Aligarh	150	74	25·8	13	2	7	..	36	12·5	14
Lucknow	494	282	29·8	..	1	..	29	9	31	..	156	16·5	62
Mathura†													
Mau-Nath Bhanj†													
Mecrut	185	65	18·4	8	1	6	1	24	6·8	8
Mirzapur-Vindhya Chal	97	34	18·3	14	2	4	..	22	11·8	3
Moradabad	164	100	31·9	4	3	8	..	35	11·1	9
Muzaffarnagar	74	24	16·9	16	1	2	..	22	15·5	4
Pilibhit	45	31	36·0	9	..	4	..	16	18·6	7
Rampur†													
Saharanpur	162	118	38·1	54	68	21·9	20
Sambhal	65	60	48·3	..	1	..	37	4	6	..	53	42·6	22
Shahjahanpur	99	35	14·4	16	1	2	..	24	9·8	5
Sitapur	49	33	35·0	7	8	8·5	6
TOTAL	5,036	2,579	26·6	..	12	..	644	77	280	12	1,655	17·1	491

West Bengal

Asansol†	66	4	3·2	3	1	1	..	8	6·3	1	
Baidyabati†														
Bally														
Bankura	50	19	19·9	1	2	2·1	..	
Bansberia†														
Baranagar	90	42	24·4	4	..	12	7·0	3
Basirhat														
Berhampur	39	4	5·4	3	1	5	6·7	..
Bhadreshwar†														
Bhatpara	64	48	39·2	5	4·1	1	
Budge-Budge	143	32	11·7	2	9	1	9	1	35	12·8	10	
Burdwan†								2	2	..	4	6·5	..	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infective Deaths (included in total deaths); .. Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>													
Calcutta	3,984	1,242	21.8	93	9	—	45	62	133	4	767	4	13.4
Champdani	41	12	15.3	1	—	—	—	—	—	—	5.1	—	—
Coach-Behar†													
Darjeeling†	36	12	17.4	2	2.9	..
English-Bazar	124	21	8.9	3	4	6	3	..	20	8.4	2
Garden Reach													
Hallisahar	41	10	12.8
Hoogly-Chinsurah	60	60	52.3	5	2	1	3	..	15	13.1	3
Howrah	477	95	10.4	16	2	..	10	9	29	1	129	14.1	42
Jalpaiguri†													
Kamarhati†													
Kanchrapara†													
Krishnagar	56
Midnapore	45	33	38.3	1	14	16.3	..
Nabadwip	70	32	23.9	7	..	1	..	11	8.2	3
Naihati	62	4	3.4	1	2	1	4	3.4	..
North-Barrackpore	36	4	5.8	2	1	3	4.4	..
Panihati	65	4	3.2	1	..	3	2.4	..
Shantipur	49	19	20.3	6	6.4	1
Serampore	83	42	26.5	7	3	4	23	14.5	5
Siliguri	44	19	22.6	1	1.2	..
South Dum Dum	83	1	0.6	..
South Suburban	124	28	11.8	2	1	2	12	..	24	10.1	5
Titagarh†													
TOTAL	4,964	1,798	18.9	136	11	..	86	91	199	8	1,098	11.6	260

STATES—(Part B)

Hyderabad													
Aurangabad	73	6	3.6	2	1.4	..
Bidar†													
Gulberga	90	2	1.1	1	..	4	..	5	2.8	..
Hyderabad City	1,058	358	17.6	..	1	..	37	5	17	..	114	5.8	16
Jalna†													
Kothagudiam†													
Latur	41
Nanded	80	14	9.1	2	..	6	..	8	5.2	..
Nizambad	67	12	9.3	1	..	1	..	2	1.6	1
Parbhani	40	4	5.3	1	1	1.3	..
Raichur†													
Secunderabad City	162	119	38.2	7	2	8	..	33	10.6	11
Warangal	155	25	8.4	10	..	2	..	15	5.0	..
TOTAL	1,766	540	15.9	..	1	..	59	7	38	..	180	5.3	28

Jammu & Kashmir

“N.R.”

Madhya Bharat													
Greater Gwalior	273	27	5.1	1	3	..	9	1.7	..
Indore	368	143	20.2	18	2	5	1	63	8.9	18
Ujjain	156	35	11.7	8	1	30	10.0	..
Ratlam†													
Mandsaur	41	7	8.9	2	..	1	1	4	5.1	..
TOTAL	838	212	13.2	28	4	9	2	106	6.6	18

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.= Birth ; B. R.= Birth Rate ; C.= Cholera ; S.= Smallpox ; P.= Plague ; F.= Fevers ; D. D. = Dysentery and Diarrhoea ; R. D.= Respiratory Diseases ; M.D.= Maternal Deaths ; D.R.= Death Rate ; I.D.= Infantile Deaths (included in total deaths) ; :=Nil Information ; “N.R.” Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—contd.

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Mysore													
Chitaldrug	31	22	36.9	1	1.7	..
Bhadrapur†
Bangalore	977	560	29.8	4	53	80	..	253	13.5	..
Mysore	294	104	18.4	16	7	9	..	84	14.9	..
Kolar Gold Fields	173	30	9.0	1	2	11	3.3	..
Billary†
Davangere	69	31	23.4	2	8	6.0	..
Hospet	45	20	23.1	1	8	9.2	..
Shimoga	57	14	12.8	5	6	5.5	..
TOTAL	1,646	781	24.7	29	62	89	..	371	11.7	..
PEPSU													
Patiala City	111	65	30.5	15	..	6	1	49	23.0	18
Malerkotla	34	27	41.3	5	9	10.2	3
Bhatinda	39	13	17.3
TOTAL	184	105	29.7	20	..	6	1	58	16.4	21
Rajasthan													
"N.R."													
Travancore-Cochin													
Alleppey†	41	34	43.1	2	12	15.2	..
Changanacherry
Ernakulam†
Kottayam	50	65	67.7	1	..	5	..	26	27.0	2
Mattanchery	85	75	45.9	1	6	3.7	1
Nagercoil	94	42	23.7	1	1	2	..	11	6.1	..
Quilon	75	105	72.8	1	1	..	9	6.2	1
Trichur	76	55	37.6	1	1	16	10.9	1
Trivandrum City	218	179	42.7	3	1	5	..	36	8.6	3
TOTAL	639	555	45.2	9	4	13	..	116	9.4	8
Saurashtra													
Bhavnagar	157	55	18.2	16	2	39	12.9	11
Dhoraji	47	38	42.0	5	1	1	..	12	13.3	1
Gondal	41	23	29.2	4	2	8	10.1	2
Jamnagar	122	17	7.2	16	2	5	1	42	17.9	16
Junagadh	65	46	36.8	6	..	4	..	24	19.2	5
Morvi	43	23	27.8	2	2	2.4	1
Porbandar	64	40	32.5	9	..	2	..	20	16.2	13
Rajkot	167	45	34.0	14	2	4	..	39	12.1	14
Surendranagar†
Veraval	46	6	6.8	4	..	2	..	7	7.9	1
TOTAL	752	293	20.3	76	9	16	3	193	13.3	64
ARREAR RETURNS													
Madhya Pradesh													
<i>For w/e 28-4-56</i>													
Nagpur	528	101	9.9	..	22	..	56	1	..	3	120	11.8	10
Kamptee	36	22	31.7	5	16	23.1	..
Khandwa	59	25	22.6	..	1	..	3	..	3	..	11	9.6	..
Burhanpur	79	45	29.6	19	3	2	..	36	23.6	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevvers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—*contd.*

Deaths from :-

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Punjab														
<i>For w/e 12-5-56</i>														
Moga		41	22	28.1	1	7	8.9	3
Bombay														
<i>For w/e 11-2-56</i>														
Surat	250	168	34.9	..	4	..	17	..	18	..	123	25.6	44	
Sholapur	299	230	40.0	..	5	..	20	2	32	..	93	16.2	14	
Thana	61	24	20.5	..	1	..	3	10	8.5	3	
<i>For w/e 18-2-56</i>														
Thana	61	22	18.8	1	7	6.0	2	
<i>For w/e 25-2-56</i>														
Thana	61	33	28.1	2	..	1	..	15	12.8	1	
Kalyan	73	26	18.5	1	1	1	..	7	5.0	..	
Nadiad	71	34	24.9	7	1	19	13.9	4	
<i>For w/e 3-3-56</i>														
Thana	61	28	23.8	1	..	1	..	20	17.0	4	
<i>For w/e 10-3-56</i>														
Poona	607	258	22.1	..	7	..	15	1	35	3	133	11.4	30	
<i>For w/e 17-3-56</i>														
Barsi	46	24	27.1	3	..	3	..	10	11.3	2	
<i>For w/e 24-3-56</i>														
Broach	67	73	56.7	9	..	2	..	17	13.2	3	
<i>For w/e 31-3-56</i>														
Broach	67	36	27.9	1	9	..	2	..	18	14.0	1	
Thana	61	22	18.8	..	3	..	3	2	1	..	24	20.5	7	
<i>For w/e 7-4-56</i>														
Broach	67	44	34.1	7	..	2	..	15	11.6	6	
Navasari	50	21	21.8	7	13	13.5	1	
<i>For w/e 14-4-56</i>														
Miraj	44	20	23.6	1	8	9.5	..	
Broach	67	67	52.0	10	..	6	..	29	22.5	6	
Cambay	41	40	50.7	2	..	1	..	8	10.1	4	
<i>For w/e 21-4-56</i>														
Miraj	44	20	23.6	2	1	2	..	14	16.5	2	
<i>For w/e 28-4-56</i>														
Miraj	44	19	22.5	5	..	1	..	18	21.3	3	
Broach	67	49	39.5	6	40	31.0	5	
Baroda	242	178	38.2	27	4	13	..	100	21.5	26	
Chalisgaon	35	14	20.8	8	1	10	14.9	3	
<i>For w/e 5-5-56</i>														
Broach	67	67	52.0	6	2	19	14.7	3	
Miraj	44	27	31.9	2	..	13	15.4	2	
Thana	61	27	23.0	5	18	15.3	3	
<i>for w/e 12-5-56</i>														
Miraj	44	18	21.3	1	..	2	..	13	15.4	1	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate⁸ may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M. D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=No information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th May, 1956—concl'd.

Town	Mid-year Popn. Est. (000)	Deaths from :-												
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Saurashtra														
For w/e 12-5-56														
Bhavnagar	157	42	13.9	20	3	50	16.6	12	
Dhoraji	47	22	24.3	7	1	2	..	14	15.5	..	
Gondal	41	17	21.6	2	5	6.3	..	
Jamnagar	122	13	5.5	2	1	3	..	12	5.1	3	
Morvi	43	13	15.7	2	2	2.4	1	
Porbandar	64	16	13.0	9	5	2	..	32	26.0	11	
Rajkot	167	67	20.9	..	2	..	13	1	4	..	37	11.5	11	
Veraval	46	12	13.6	..	1	..	10	..	4	..	16	18.1	5	
Junagadh	65	28	22.4	12	..	1	..	19	15.2	8	
TOTAL	752	230	15.9	..	3	..	77	11	16	..	187	12.9	51	
Madhya Bharat														
For w/e 12-5-56														
Greater Gwalior	273	163	31.0	3	..	1	..	24	4.6	..	
Indore	368	165	23.3	34	3	7	..	102	14.4	41	
Ujjain	156	29	9.7	17	1	36	12.0	..	
Mandsaur	41	8	10.1	2	..	1	..	3	3.8	..	
TOTAL	838	365	22.6	56	3	9	1	165	10.2	41	
Assam														
For w/e 12-5-56														
Gauhati	51	4	4.1	8	2	21	21.4	..	
Dibrugarh	46	2	2.2	
Silchar	43	8	9.7	1	1	1	..	4	4.8	..	
Madhya Pradesh														
For w/e 28-4-56														
Itarsi	30	30	52.0	4	1	19	32.9	..	
For w/e 21-4-56														
Itarsi	30	1	1.7	—	2	11	19.0	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total death) ; ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 19th May, 1956, relate to 211 towns with an estimated population of 32,960 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 67% of the total number of towns representing 79% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 16,204 and 8,259 representing birth and death rates of 25.6 and 13.0 per thousand of population respectively.

(a) States (Part A and C).—The data here relate to 172 towns with an estimated population of 27,135 thousands. Information about Andhra, Assam and Bihar, could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 68% of the total number of towns representing 81% of the total population is covered.

The number of births and deaths recorded in these towns were 13,718 and 7,235 representing birth rates and death rates of 26.3 and 13.9 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B).—The data here relate to 39 towns with an estimated population of 5,825 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 60% of the total number of towns representing 72% of the total population is covered. The number of births and deaths recorded in these towns were 2,486 and 10,24 representing birth and death rates of 22.2 and 9.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 19-5-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer	• •	21.8	15.9	†	25.7	24.2
Bombay	• •	24.6	12.9	26.3	26.7	15.7
Delhi	• •	24.9	9.0	24.0	24.2	9.9
Madhya Pradesh	• •	20.2	17.6	24.1	22.4	19.3
Madras	• •	36.0	15.9	40.9	16.9	†
Orissa	• •	49.9	19.3	36.4	15.1	40.1
Punjab (I)	• •	31.3	12.3	27.4	8.8	23.1
Uttar Pradesh	• •	26.6	17.1	22.5	14.8	23.1
West Bengal	• •	18.9	11.6	14.6	10.8	15.4
India*	• •	26.3	13.9	28.7	13.9	26.7

*7 Part "A" States and 2 Part "C" States.

† Figures not available.

NEW DELHI-2 (INDIA);
The 11th June, 1956

K. MITRA,
for Registrar General, India